

**IFB 2016-012 Dell Server
Specifications**

| ITEM | PART NUMBER | DESCRIPTION | QTY | UNIT COST | EXTENDED COST |
|------|-------------|---|-----|-----------|---------------|
| 1. | 210-AIBO | PowerEdge R830 Server | 12 | | |
| 2. | 329-BCZO | PowerEdge R830 Motherboard | 12 | | |
| 3. | 461-AADZ | No Trusted Platform Module | 12 | | |
| 4. | 321-BCER | Chassis with up to 8, 2.5" Hard Drives | 12 | | |
| 5. | 340-BBSB | PowerEdge R830 Shipping | 12 | | |
| 6. | 338-BJHV | 2x Intel Xeon E5-4650 v4 2.2GHz,35M Cache,9.6GT/s QPI 14C/28T,HT,Turbo (105W) Max Mem 2400MHz | 12 | | |
| 7. | 374-BBFV | No 3rd/4th CPU | 12 | | |
| 8. | 338-BJHP | Plastic Shroud for 2X Processor Only, PowerEdgeR830 | 12 | | |
| 9. | 370-ACPI | DIMM Blanks for Systems with 2 Processors | 12 | | |
| 10. | 412-AAHZ | Heat Sink for PowerEdge R830 | 12 | | |
| 11. | 370-ACPH | 2400MT/s RDIMMs | 12 | | |
| 12. | 370-AAIP | Performance Optimized | 12 | | |
| 13. | 370-ACNX | 16GB RDIMM, 2400MT/s, Dual Rank, x8 Data Width (24 per server) | 288 | | |
| 14. | 780-BBZD | Diskless Configuration (No RAID, No Controller) | 12 | | |
| 15. | 405-AACD | No Controller | 12 | | |

**IFB 2016-012 Dell Server
Specifications**

| ITEM | PART NUMBER | DESCRIPTION | QTY | UNIT COST | EXTENDED COST |
|-------------|--------------------|--|------------|------------------|----------------------|
| 16. | 400-ABHL | No Hard Drive | 12 | | |
| 17. | 540-BBCC | Intel Ethernet X540 DP 10Gb BT + I350 1Gb BT DP Network Daughter Card | 12 | | |
| 18. | 540-BBHP | Intel X710 Dual Port 10Gb Direct Attach, SFP+, Converged Network Adapter | 12 | | |
| 19. | 385-BBHO | iDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise | 12 | | |
| 20. | 634-BBWU | OpenManage Essentials, Server Configuration Management | 12 | | |
| 21. | 330-BBCL | Internal Dual SD Module | 12 | | |
| 22. | 385-BBCF | Redundant SD Cards Enabled | 12 | | |
| 23. | 385-BBII | 16GB SD Card For IDSDM | 12 | | |
| 24. | 385-BBII | 16GB SD Card For IDSDM | 12 | | |
| 25. | 429-AAOJ | No Internal Optical Drive | 12 | | |
| 26. | 350-BBEJ | Bezel | 12 | | |
| 27. | 770-BBBQ | ReadyRails Sliding Rails Without Cable Management Arm | 12 | | |
| 28. | 384-BBBL | Performance BIOS Settings | 12 | | |
| 29. | 450-ADWS | Dual, Hot-plug, Redundant Power Supply (1+1),750W | 12 | | |
| 30. | 492-BBDH | C13 to C14, PDU Style, 12 AMP, 2 Feet (.6m) Power Cord, North America | 24 | | |

**IFB 2016-012 Dell Server
Specifications**

| ITEM | PART NUMBER | DESCRIPTION | QTY | UNIT COST | EXTENDED COST |
|--------------|--------------------|---|------------|------------------|----------------------|
| 31. | 631-AACK | No Systems Documentation, No OpenManage DVD Kit | 12 | | |
| 32. | 611-BBBG | No Operating System, No Utility Partition | 12 | | |
| 33. | 421-5736 | No Media Required | 12 | | |
| 34. | 600-BBBC | 30 days Trial License for Vmware Enterprise Plus | 12 | | |
| 35. | 600-BBQB | VMware ESXi 5.5 U3 Embedded Image on Flash Media | 12 | | |
| 36. | 810-0421 | Dell Hardware Limited Warranty Plus On-Site Service | 12 | | |
| 37. | 810-0545 | ProSupport Plus Mission Critical, 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Years Extended | 12 | | |
| 38. | 810-0548 | ProSupport Plus Mission Critical, 4-Hour 7x24 On-Site Service with Emergency Dispatch, 3 Years | 12 | | |
| 39. | 810-0572 | ProSupport Plus Mission Critical, 7x24 HW/SW Technical Support and Assistance, 5 Years | 12 | | |
| 40. | 975-3462 | Dell Limited Hardware Warranty Plus Service, Extended Year(s) | 12 | | |
| 41. | 900-9997 | On-Site Installation Declined | 12 | | |
| TOTAL | | | | | |

Approved by:

Dwight E. Brock, Clerk of the Circuit Court

Date

(Excel spreadsheet attached for your convenience)